

Certificate Of Analysis



Client:

Research Peptides Europe

Research Peptides Europe

Spain

admin@researchpeptides-europe.com

Laboratory:

Liquilabs s.r.o.

Ohradní 24B

14000 Michle

Czechia

www.liquilabs.cz

Sample Identification

Sample Name	CJC-1295 NO DAC 5 mg	Batch Number	MOD-GRF 2025-12-03	Date Published	2025-12-17 15:30
-------------	-------------------------	--------------	-----------------------	----------------	---------------------

Results for Lyo-0201-P01

Analysis of Peptide Identity, Content and Purity	Result	Unit	Uncertainty	Reporting Limit
MOD GRF (1-29) Assay Peptide Screening	5.15	mg	[± 0.03]	
MOD GRF (1-29) Identification by RT Peptide Screening	0.982		[± 0.005]	
MOD GRF (1-29) Identification by spectrum Peptide Screening	996		[± 10]	
MOD GRF (1-29) Purity Peptide Screening	> 99.8	%		

Endotoxin Analysis	Result	Unit	Uncertainty	Reporting Limit
Bacterial Endotoxin USP<85>/ Eur. Ph. 2.6.14. Bacterial Endotoxin Chromogenic Test	Detected but < 0.01	EU/mg		> 0.5

Responsibles

A handwritten signature in black ink, appearing to read "Galbavý".

Mr. Ján Galbavý
Founder/Manager

Analysis results relate only to the samples tested.

This document shall not be reproduced except in full, without the written approval of Liquilabs s.r.o.